

CONTENTS

<u>SGML ELEMENT</u>	<u>PAGE</u>
MTP AND DRILL BOOK SGML ELEMENTS	1
MTP AND DRILL BOOK SGML ENTITY ELEMENTS	60
MTP AND DRILL BOOK SGML ENTITY ATTRIBUTES	63

MTP AND DRILL BOOK SGML ELEMENTS

<AFTER.ACTION>	<i>After Action Review (AAR)</i> Specifies the guidance on the After Action Review.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<AMMO.REQ>	<i>Ammunition Requirement</i> Identifies the ammunition needed to support the exercise in the Consolidated Support Requirement table.
<hr/>	
<APPENDIX>	<i>Appendix</i> Identifies appendix.
Optional Attribute(s)	
TOCENTRY	If the value consists only of zeros, the element's number and title are not used in contents, illuslist, or tablelist. Any other appropriate listing. Declared Value : Toggle Default Value = 1
SHORTENTRY	If the value consists only of zeros, the element's <shorttitle> (or <title>, if no short title is given) is not used in the <coverindex> or any other type of compiled listing. Any other numeric value triggers the use of the shorttitle. Declared Value : Toggle Default Value = 0
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<AUDIENCE>	<i>Intended Audience</i> Defines in the preface the target audience the publication is directed towards.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
<hr/>	
<AUTHENT>	<i>Authentication Page</i> Identifies the authentication page which is provided by the contracting activity.
Required Attribute(s)	
BOARDNO	Enter unique graphic identifier. Declared Value : Pointer
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<BATTLE.WP> *Battle Drill Work Package*
A battle drill is a collective action executed by a platoon or smaller element without application of a deliberate decision making process. The action is vital to success in combat or critical to preserving life. The drill is initiated on a cue, such as enemy action or simple leader's order, and is a trained response to the given stimulus. It requires minimal leader orders to accomplish and is standard though out the Army.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<BOS.SEP> *Generic Collective Tasks Matrix Battlefield Operating System (BOS) Separator*
Specifies when a new BOS group starts in Collect Tasks matrix.

Required Attribute(s)

TYPE Identifies the Battlefield Operating System (BOS).
Declared Value : List (%bos.list;)

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<BRK> *Line Break*
Specifies a formatting line break.

<CALLOUT> *Callout*
Identifies a graphic callout identifier in text that correlates to a graphic callout in a figure used within the document.

Optional Attribute(s)

ASSOCFIG Reference to the unique identifier of the figure with which the callout is associated.
Declared Value : ID Reference

<CATS.WP> *Combined Arms Training Strategy (CATS) Work Package*
Identifies the Combined Arms Training Strategy (CATS) work package. Describes in general terms, what is a CATS, and what it will provide the training planner.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<CAUTION> *Caution*
Identifies a caution statement.

Optional Attribute(s)

KEYWORD Identifies a word or phrase that will appear underneath the "CAUTION" heading.

Declared Value : Any character

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<CHANGE> *Change Information*
Indicates the scope of changed information.

Optional Attribute(s)

LEVEL Identifies level of change.

Declared Value : Number

DATE Date change occurred. Format will be mm/dd/yy.

Declared Value : Any character

CHANGE Type of change; modify, added, or deleted text.

Declared Value : List (Modified(mod), Addition(add), Deletion(delete))

MARK If the value consists only of zeros, no side mark is used; if the value is any other numeral, a side mark is used.

Declared Value : Toggle

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<COACHING> *Coaching Points*
Specifies the instructions for drill leaders on actions or techniques soldiers should use to perform particular tasks. Coaching points clarify and expand on the performance measures.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<COL.HEADING> *Generic Collective Tasks Matrix Column Heading*
Identifies the column headings for the generic Collective Tasks Matrix. To define the overall column heading use (title, pubno?). <col.title> is the heading for each individual column. Attribute COL in %col.no; is used to define the number of columns in the table, with maximum of seven columns.

Required Attribute(s)

%COL.NO; Any of the attributes in the associated attribute set may be used with this element. Refer to %COL.NO; for a complete description.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<COL.TASK.CONDITION> *Collective Task Condition Statement*
Identifies the collective task situation or environment in which the unit will perform the task.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<COL.TITLE> *Generic Collective Tasks Matrix Column Heading Title*
Specifies the column heading for the generic Collective Tasks Matrix. The element defines the column heading by linking to the work package number and defining the publications and/or task number. Attribute COL in %col.no; indicates the column number being used for the column heading.

Required Attribute(s)

%COL.NO; Any of the attributes in the associated attribute set may be used with this element. Refer to %COL.NO; for a complete description.

<COLLECT.MATRIX> *Generic Collective Task Matrix*
Specifies the generic collective task matrix table model.
Each matrix can has one column for collect tasks and maximum of seven additional column. More than eight columns does not fit well on paper or display. Therefore the user needs to break the matrices into multiple matrix when more than eight columns occur.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<COLLECT.ROW>

Collective Task Row

Identifies the collective task to insert and marks columns.
The element defines the information about the collect task, use the attribute TASK.REF to reference the T&EO information.

Required Attribute(s)

TASK.REF Id reference to the T&EO task. The reference name is constructed as follows task.id.no-proponent.code-echelon.code.

Declared Value : ID Reference

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<COLLECTC.TBL>

<COLSPEC>

Column Specification

Specifies a column, a vertical portion of a <table> or <entrytbl>.The default values come from the <tgroup>, <thead>, or <tfoot> starting the current (enclosing) group. Each <colspec> is for a single column, so it properly has a column number, colnum, implicitly in order starting from1, and an optional colname by which it is known when used in any <spanspec>or in <entry>. A <colspec> set on <thead> or <tfoot> should be complete for all columns. It overrides those on the containing <tgroup>and applies to just the <thead> or <tfoot>. If there is no <colspec>used within <thead> or <tfoot>, then the <colspec> of the containing<tgroup> (or the prior <tgroup>) is used. <Colspec>s from the containing<tgroup> apply to <tbody>.

Optional Attribute(s)

COLNUM Number of column, counting from 1 at left of the chart or table.

Declared Value : Number

COLNAME Name of column, used to specify the position in a row, or the start or end of a horizontal span of columns (<spanspec>).

Declared Value : Name Token

ALIGN Text horizontal position within the column.

left- quad flush left
center - centered
right - quad flush right
justify- both quad left and quad right
char - align on left most of char, positioned by charoff
Note - If no value given, obtain from style sheet.

Declared Value : List (left, center, right, justify, char)

CHAROFF For align= "char", horizontal character offset is the percent of the current column width to the left of the (left edge of the) alignment character.

Declared Value : Number Token

CHAR	If align = "char", the value is the single alignment character on which the first to occur of this character in the entry is aligned. Entries not containing this character are aligned to the left of this position. Declared Value : Any character
COLWIDTH	Either proportional measure of the form number *, i.e., "5*" for 5 times the proportion, or "*" (= "1*"); fixed measure, i.e., 2pt for 2 point, 3pi for 3 pica; or mixed measure, i.e., 2* + 3pt. Coefficients are positive numbers with up to 2 decimal places. Note - If no value is given, then obtain value from the style sheet or, if there is no style sheet value, then assume a proportion of 1. Declared Value : Any character
COLSEP	Default for all items in this column (within the closing group) of the table or chart. If other than zeros, display the internal column ruling to the right of each item; if only zeros, do not display it. Ignored for the last column, where the frame setting applies. Declared Value : Toggle
ROWSEP	Default for all items in this column (within the enclosing group) of the table or chart. If other than zeros, display the internal horizontal row ruling below each item. If only zeros, do not display it. Ignored for the last row of the table; since overridden by the frame setting. Declared Value : Toggle

<COMMENT> *Note/Comments*
Identifies the notes/comments for tables.

Optional Attribute(s)

COMMENT.NO Comment note number.

Declared Value : Number

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<COND.STD.PARA>

<CONDUCT.TRAIN> *Conducting Training*
Specifies how to plan, prepare, and conduct unit training.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<CONSOLIDATE.TBL> *Consolidated Support Requirements Table*
Provides the content specific table components for consolidated support requirements.

<CONSOLIDATE> *Consolidated Support Requirements*
Identifies the consolidated support requirements table that identifies required items needed to support the exercise.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<CONTENTS> *Generated Table of Contents*
Identifies element that refers to a table of contents generated by the receiving system.

Optional Attribute(s)

SHORTENTRY If the value consists only of zeros, the element's <shorttitle> (or <title>, if no short title is given) is not used in the <coverindex> or any other type of compiled listing. Any other numeric value triggers the use of the shorttitle.

Declared Value : Toggle

Default Value = 0

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

<CREW.WP> *Crew Drill Work Package*
Specifies the crew drill chapter.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<CUE> *Initiating Cue*
Specifies the event, command, or signal that prompts the execution of the drill.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DANGER> *Danger*
Identifies a danger statement.

Optional Attribute(s)

KEYWORD Identifies a word or phrase that will appear underneath the "DANGER" heading.

Declared Value : Any character

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DATE>

Date

Identifies a date of the form yy/mm/dd. However, it may be formatted for presentation as appropriate to the application.

Optional Attribute(s)

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DEF>

Definition

Identifies a definition.

Optional Attribute(s)

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DEFLIST>

Definition List

Identifies a definition list.

Optional Attribute(s)

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DEGRADATION>

Degradation Condition

Identify condition factors that will impede in performing the task.

<DEMO>

Demonstration

Specifies instructions for an optional demonstration of the drill by another unit proficient in the drill.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DEVELOP.EXERCISE> *Developing Training Exercises*
Specifies the battalion staff procedures for FTX preparation and STX support.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DOCNO> *Document Number*
Identifies a document number.

Optional Attribute(s)

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DODAC> *DODAC*
Identifies a Department of Defense Ammunition Code (DODAC).

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<DRILL.BOOK> *ARTEP Drill Manual*
Identifies Drill manual and information about the manual.

Required Attribute(s)

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

TOE.CODE Specifies the Drill TOE number to three digits. If the Drill has more than one use the lowest TOE number.

Declared Value : Number

TITLE Specifies the Drill title.

Declared Value : Any character

PUB.DATE Specifies the publication date. Format will be day, month (full name), and year. e.g. 1 JANUARY 1995.

Declared Value : Any character

SCHOOL.CODE Specifies the Drill proponent school number code. (See TREG 350-70 Appendix C Table C-2 for codes.)

Declared Value : Number

UNIT.TYPE Specifies the unit type for the Drill.

Declared Value : Any character

Optional Attribute(s)

TOE.ORGAN.CODE Specifies if the TOE is below the battalion level, then use a two digit organization code for Drill Publication Number. The list of valid TOE organization codes are
10-29 platoon or sections
30-39 company or detachment

40-59 office, branch, or division
60-79 unique organizational requirements

Declared Value : Number

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DRILL.COL> *Column Heading for Drill*
Specifies the column heading for drill title and number.

Required Attribute(s)

COL.NO Column number for the heading.

Declared Value : List (2, 3, 4, 5, 6, 7, 8)

DRILL.REF Reference name drill.

Declared Value : ID Reference

<DRILL.COLLECT> *Battle Drill-to-Collective Task Matrix*
Specifies the Drill-to-Collective Task Matrix paragraph and matrix.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DRILL.PM.TBL> *Drill Performance Measure Table*
Specifies when two or three performers are required to execute performance measures simultaneously, a performance measure table is used.

Required Attribute(s)

PERFORMERS Number performers.

Declared Value : List (2, 3)

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<DRILL.REF> *Drill Reference*
Specifies the reference to Battle or Crew Drill.

<DRILL.TITLE> *Drill Title*
Specifies the drill task title. The title must start with an action verb.

<DRILL.WP>

Drill Work Package

Drills are disciplined, repetitious exercises to teach and perfect a skill or procedure. They are linked to MTPs in that they are a method for executing a collective task or task step.

Required Attribute(s)

TYPE Determine the drill type battle or crew.

Declared Value : List (battle, crew)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

DRILL.ID.NO Exercise identification number. The number begins with an "D" followed by four digit sequential number.

Declared Value : Any character

SCHOOL.CODE Specifies the Drill proponent school number code. (See TREG 350-70 Appendix C Table C-2 for codes.)

Declared Value : Number

BOS Identifies the Battlefield Operating System (BOS).

Declared Value : List (%bos.list;)

STX.NO.SUPPORT List the STX numbers the drill is used.

Declared Value : Number Token (one or more)

Optional Attribute(s)

APPROVE.DATE The T&EO approval date.

Declared Value : Any character

OBSOLETE.DATE The T&EO obsolescence date.

Declared Value : Any character

STATUS The T&EO current status.

Declared Value : List (Active, Proposed, Obsolete)

Default Value = Proposed

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EACH>

Each Quantity

Specifies each quantity for equipment or personnel.

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<EMPHASIS> *Emphasis*
Indicates the scope of emphasized information. The emphasis types available will be listed in the style sheet and associated with a named value.

Required Attribute(s)

EMPH Emphasis text from the list.
Declared Value : List (Capitalize(caps), Bold(bold), Italic(italic), Bold Italic(bolditalic), Underline(uline), Strikeout(strikeout))

Optional Attribute(s)

COLOR Define text color.
Declared Value : Name

<ENHANCER> *Training Enhancer*
Identifies the specific information for using the FTX for training and provide a sample training scenario.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ENTRY> *Entry*
Identifies an entry in a table or chart. Default values come from the table or chart, tgroup, colspec, spanspec, thead, tfoot, tbody, or row attlist values for like-named attributes. An entry not specified by a spanspec gets its defaults from its starting column.

Optional Attribute(s)

COLNAME Column name of entry. Omit if spanname is present.
Declared Value : Name Token

NAMEST Name of left most column of span. Names are identified in colspec of the current tgroup.
Declared Value : Name Token

NAMEEND Name of right most column of span. Names are identified in colspec of the current tgroup.
Declared Value : Name Token

SPANNAME Name of a horizontal span.
Declared Value : Name Token

MOREROWS Number of additional rows in a vertical straddle.
Declared Value : Number
Default Value = 0

COLSEP If other than zeros, display the internal vertical column ruling at the right of the entry; if only zeros, do not display it. Ignored for the last column, where the frame setting applies.
Declared Value : Toggle

ROWSEP If other than zeros, display the internal horizontal row rulings below the entry; if only zeros, do not display it. Ignored for the last row where the frame setting applies.
Declared Value : Toggle

ROTATE Rotations are not additive to those specified in style sheet. Content is either in the orientation of the table (value is one or more zeros) or 90 degrees counterclockwise to table orientation (value is other than zeros).

Declared Value : Toggle
Default Value = 0

VALIGN Text vertical positioning within the entries.
Declared Value : List (top, middle ,bottom)
Default Value = top

ALIGN Text horizontal position within the column.
left - quad flush left
center - centered
right - quad flush right
justify - both quad left and quad right)
char - align on left most of char, positioned by charoff

Declared Value : List (left, center, right, justify, char)

CHAROFF For align = "char", percent of the current width to the left of the (left edge of) the character.
Declared Value : Number Token

CHAR If align= "char", the value is the single alignment character on which the first to occur of this character in the entry is aligned. If that character does not occur in the entry, the entry aligns to the right of that character offset.
Declared Value : Any character

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ENTRYTBL>

Entry Table

An <entrytbl> takes the place of an entry, but fits into a single row. It permits subdivisions of an entry or horizontal span of entries into possibly different columns and (sub)rows. Note that several entrytbls may occur in the same body row, and these could have a different number of (sub)rows. There is no implication of alignment of (sub)rows in different entrytbls. Default values come from the table or chart, tgroup, colspec, spanspec thead, tfoot, tbody, or row attlist values for like-named attributes, in the same manner as an entry.

Required Attribute(s)

COLS Number of columns in the table or chart.
Declared Value : Number

Optional Attribute(s)

TGROUPSTYLE A unique table group style defined in the style sheet.
Declared Value : Name Token

COLNAME Left most column name of entrytbl in row of the table or chart.
Declared Value : Name Token

SPANNAME Name of a horizontal span.
Declared Value : Name Token

COLSEP If other than zeros, display the internal vertical column ruling at the right of the entry; if only zeros, do not display it. Ignored for the last column, where the frame setting applies.
Declared Value : Toggle

ROWSEP	If other than zeros, display the internal horizontal row rulings below the entry; if only zeros, do not display it. Ignored for the last row where the frame setting applies.
Declared Value :	Toggle
ALIGN	Text horizontal position within the column. left- quad flush left center - centered right - quad flush right justify- both quad left and quad right char - align on left most of char, positioned by charoff
Declared Value :	List (left, center, right, justify, char)
CHAROFF	For align = "char", percent of the current width to the left of the (left edge of) the character.
Declared Value :	Number Token
CHAR	If align= "char", the value is the single alignment character on which the first to occur of this character in the entry is aligned. If that character does not occur in the entry, the entry aligns to the right of that character offset.
Declared Value :	Any character
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ENV.PROTECT>	<i>Environmental Protection</i> Specifies environmental assessment and any environmental requirements or concerns.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ENVIRON>	<i>Environmental Consideration</i> Specifies any environmental consideration that could degradate the task execution.
------------------------	--

<EQPTITLE>	<i>Equipment Title</i> Identifies an equipment/item title under the categories in the Consolidated Support Requirement table.
Optional Attribute(s)	
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<EVAL.INFO>	<i>Evaluation Information</i> Specifies an explanation of evaluation procedures.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EVAL.SCENARIO.TBL> *Evaluation Scenario Table*
Provides the content specific table components for Evaluation Scenario.

<EVAL.SCENARIO> *Evaluation Scenario*
Identifies the event sequence and required time to prepare exercise.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EVAL> *Evaluation*
Specifies the evaluation types and explain how to conduct them.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EVENT.ACTION> *Event Action*
Specifies the an event action to perform.

<EVENT.DAY> *Event Day Frame*
Specifies the day number the event scenario is performed.

Required Attribute(s)

NO Day number.

Declared Value : Number

<EVENT.SCENARIO> *Sequence Event*
Identifies the sequenced event and time required to perform the event in the Time & Event table.

Optional Attribute(s)

COMMENT.NO Any notes associated with the event.

Declared Value : Number (one or more)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EVENT> *Sequence Event*
Identifies the sequenced event and time required to perform the event in the Time & Event table.

Optional Attribute(s)

SIMULTANEOUSLY Does the event occur simultaneously with an event.

Declared Value : Toggle

Default Value = 0

COMMENT.NO Any notes associated with the event.

Declared Value : Number (one or more)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXER.INTRO.WP> *Training Exercise Introduction Work Package*
Provides an explanation and purpose for training exercises.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXER.PURPOSE> *Exercise Purpose*
Describes the purpose and uses for the exercises.

Required Attribute(s)

TYPE Specifies the exercise types being described.

Declared Value : Any character

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

<EXER.TITLE> *Title of Exercise*
Identifies the exercise title.

<EXER.WP> *Generic Exercise Work Package*
Identifies a generic exercise structure that is applicable for CPX, LFX FCX, LCX, MAPEX, TEWT, DMX, etc. An exercise contains the unit name, title of the exercise, mission outline identification number, objective(s), interface, training section, support requirements and list of T&EOs used in the exercise.

Required Attribute(s)

TYPE Type of exercise.
Declared Value : Any character

PUBNO MTP publication number.
Declared Value : Any character

WPNO Unique exercise identification number.
Declared Value : ID

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

%EXERCISE.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %EXERCISE.CODE; for a complete description.

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%CONTENT.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXERCISE.LIST> *Mission Exercises*
Specifies the exercises for the missions outline table.

Optional Attribute(s)

SUB.EXERCISE Number of supporting exercises.
Declared Value : Number
Default Value = 0

<EXERCISE> *Mission Exercise List*
Identifies in the Mission Outline the exercise number and title with all associated exercises, T&EOs and/or drills.

<EXPLAIN> *Explanation*
Specifies instructions for explaining the performance measures, using a chalk-board, sand table, piece of equipment, or simple diagram drawn on the ground.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXTEVAL.BN.WP> *External Evaluation (Battalion and Higher) Work Package*
Provides instructions for the planning, preparation, and execution of an external evaluation for company level and below.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXT.EVAL.CO.WP>

External Evaluation (Company and Below) Work Package

Provides instructions for the planning, preparation, and execution of an external evaluation for company level and below.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<EXTREF>

External Cross Reference

This is a cross-reference to another document.

Required Attribute(s)

DOCNO Value is the identifier of an external document.
Declared Value : Any character

Optional Attribute(s)

PRETEXT Text that will precede the cross reference when resolved for display.
Declared Value : Any character

POSTTEXT Text that will follow the cross reference when resolved for display.
Declared Value : Any character

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FIGURE>

Figure

Identifies a figure frame and position in the document.

Optional Attribute(s)

FIGNUM If the value consists only of zeros, no figure number is used. Any other numeric value triggers the figure number to appear.

Declared Value : Toggle

Default Value = 1

TOCENTRY If the value consists only of zeros, the element's number and title are not used in contents, illuslist, or tablelist. Any other numeric value triggers their use in the appropriate listing.
Declared Value : Toggle
Default Value = 1

SHORTENTRY If the value consists only of zeros, the element's <shorttitle> (or <title>, if no short title is given) is not used in the <coverindex> or any other type of compiled listing. Any other numeric value triggers the use of the shorttitle.
Declared Value : Toggle
Default Value = 0

PLACEMENT Specifies the anchoring of the figure to the text.
above - Top of page is graphic and text below.
below - Bottom of page is graphic and text above.
facingpg - Graphic on next facing page.
immediate - Immediately following tag locations.
Declared Value : List (above, below, facingpg, immediate)
Default Value = immediate

ORIENT Specifies the orientation of the figure on the page, together with its title.
Declared Value : List (Portrait(port), Landscape(land))
Default Value = port

SIZE The figure page size.
Declared Value : List (eighth, quarter, half, full)

SHAPE Determine the direction the size is position on the page.
vertical - Frame is run up the page.
horizontal - Frames across the page.
Declared Value : List (vertical, horizontal)

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FOLDOUT> *Foldout*
Identifies a foldout graphic within the foldout section.

Required Attribute(s)

BOARDNO Enter unique graphic identifier.
Declared Value : Pointer

Optional Attribute(s)

GRAPHSTY Characteristic provided to allow for cases where the "grphstyl" ID is to be used.

Declared Value : Name Token

LLCORDRA Left lower coordinate pair of the portion of the graphic to be placed in the portion of the repro area, separated by comma.

Declared Value : Any character

RUCORDRA Right upper coordinate pair of the portion of the graphic to be placed in the portion of the repro area, separated by comma.

Declared Value : Any character

REPROWID	Repro area width. Declared Value : Number Token
REPRODEP	Repro area depth. Declared Value : Name Token
HSCALE	Horizontal scaling. Declared Value : Number Token
VSCALE	Vertical scaling. Declared Value : Number Token
SCALEFIT	Characteristic allows the graphic to be scaled as needed to fit the size of the reproduction area. Declared Value : Toggle
HPLACE	Horizontal placement in the available repro area. Declared Value : List (left, right, center, or none (equivalent to a null value which defaults to implied))
VPLACE	Vertical placement in the available repro area. Declared Value : List (top, middle, bottom, or non (equivalent to a null value which defaults to implied by the graph style))
COORDST	Left lower coordinate pair, separated by comma. Start position in repro area for placement of the portion of the graphic specified by llcordra and rucordra. Declared Value : Any character
COORDEND	Right upper coordinate pair, separated by comma, end position in repro area for placement of portion of the graphic. Declared Value : Any character
ROTATION	Degree of rotation of the graphic. Declared Value : Number
SIZE	The foldout paper size. Declared Value : List (25x11, 35x11, 45x11)
%REFS;	Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FORCE.SAFETY> *Force Protection (Safety)*
Specifies the risk assessment and safety requirements or concerns to prevent fratricide.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

<FORMAT> *Information Format*
Specifies the information format and/or structure.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FRAGO> *Fragmentary Order (FRAGO) Sample*
Specifies the Fragmentary Order (FRAGO) figure for exercise.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FRNT> *Front Matter*
Identifies manual's front matter.

<FTNOTE> *Footnote*
Identifies the body of a footnote in the document.

Required Attribute(s)

ID Unique identifier of the footnote.
Declared Value : ID

Optional Attribute(s)

MARK If symbol is chosen, they will be assigned in the order specified in the GPO Manual of Style.
Declared Value : List (Counter(ctr) , Symbol(sym))
Default Value = ctr

LABEL If used, it specifies the number or symbol of the fnote and overrides auto-generation of the number or symbol by the processing system.
Declared Value : Any character

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<FTNREF> *Footnote Reference*
Indicates a footnote reference.

Required Attribute(s)

XREFID Unique identifier of the footnote being referenced.
Declared Value : ID Reference

<FTX.WP> *FTX Exercise*
Identifies an exercise that is developed based on the critical mission and provides orientation for unit training. Support training at battalion, separate company, company, platoon, and staff section levels.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

%EXERCISE.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %EXERCISE.CODE; for a complete description.

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%CONTENT.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<GENERAL.SIT> *General Situation*
 Specifies general information concerning the unit and its training environment.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<GENINFO> *General Information*
 General information paragraph.

Optional Attribute(s)

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<GLOSSARY> *Glossary*
 Identifies the documents glossary information.

Optional Attribute(s)

TOCENTRY If the value consists only of zeros, the element's number and title are not used in continents, illustlist, or tablelist. Any other appropriate listing.
Declared Value : Toggle
Default Value = 1

SHORTENTRY If the value consists only of zeros, the element's <shorttitle> (or <title>, if no short title is given) is not used in the <coverindex> or any other type of compiled listing. Any other numeric value triggers the use of the shorttitle.
Declared Value : Toggle
Default Value = 0

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<GRAPHIC> *Graphic*
Identifies a graphic. A graphic is stored either as vector (MIL-D-28000or MIL-D-28003) or raster (MIL-R-28002) data and is used as an illustration in the document.

Required Attribute(s)

BOARDNO Enter unique graphic identifier.
Declared Value : Pointer

Optional Attribute(s)

GRAPHSTY Characteristic provided to allow for cases where the "grphstyl" ID is to be used.
Declared Value : Name Token

LLCORDRA Left lower coordinate pair of the portion of the graphic to be placed in the portion of the repro area, separated by comma.
Declared Value : Any character

RUCORDRA Right upper coordinate pair of the portion of the graphic to be placed in the portion of the repro area, separated by comma.
Declared Value : Any character

SIZE The figure page size.
Declared Value : List (eighth, quarter, half, full)

SHAPE Determine the direction the size is position on the page.
vertical - Frame is run up the page.
horizontal - Frames across the page.
Declared Value : List (vertical, horizontal)

HSCALE Horizontal scaling.
Declared Value : Number Token

VSCALE Vertical scaling.
Declared Value : Number Token

SCALEFIT Characteristic allows the graphic to be scaled as needed to fit the size of the reproduction area.
Declared Value : Toggle

HPLACE Horizontal placement in the available repro area.
Declared Value : List (left, right, center, or none)

VPLACE Vertical placement in the available repro area.
Declared Value : List (top, middle, bottom, or none)

COORDST Left lower coordinate pair, separated by comma. Start position in repro area for placement of the portion of the graphic specified by llcordra and rucordra.
Declared Value : Any character

COORDEND Right upper coordinate pair, separated by comma, end position in repro area for placement of portion of the graphic.
Declared Value : Any character

ROTATION Degree of rotation of the graphic.
Declared Value : Number

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<GUIDANCE>

Guidance

Specifies the areas the trainer should review before the exercise begins.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<HRS>

Hours

Specifies the hours to accomplish an event.

Required Attribute(s)

NO Number of hour.

Declared Value : Number

<ICON-SET>

Warning ICON

Identifies a set of icons for warning.

Required Attribute(s)

BOARDNO Enter unique graphic identifier.

Declared Value : Pointer

<ILLUST.GROUP>

Illustration Group

Specifies a group of similar illustrations.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ILLUST.LIST.WP>

Illustration Work Package

Specifies a list of common illustration work package.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ILLUST.TYPE> *Illustration Type*
Specifies an illustration type from the group of illustrations.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ILLUSTRATION> *Illustration Paragraph*
Specifies the illustrations list for clarity how a drill should be executed or supplements the performance measure.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<INDIVID.COLLECT> *Individual-to-Collective Task Matrix*
Specifies the Individual-to-Collective Task Matrix paragraph and matrix.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<INDIVID.MATRIX> *Individual Task to Drill Matrix*
Specifies the Individual Task to Drill Matrix. The matrix allows from two to eight columns. More than eight columns will fit poorly on paper or display.

Required Attribute(s)
COLS Determine the number of columns in the matrix.
Declared Value : List (2, 3, 4, 5, 6, 7, 8)

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<INDIVID.TASK.ROW> *Individual Task Row*
Specifies the row title and the drills trained by the task.

<INTERFACE> *Document Interface*
Identifies for an STX the list of supporting STX exercises and supporting subordinate unit's drills. Included habitually attached, supported, and supporting unit's STXs.
Identifies for an FTX the list of the next higher echelon FTX(s) and the supporting element or units STX(s).

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<INTRO> *Introduction Paragraphs*
Identifies an introduction to section or chapter.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

<ITEM> *Item*
Identifies an item typically occurring within a list type.

Optional Attribute(s)
LABEL Numbering or character before the item. Used to force numbering or bullet character. Not recommended, the receiving system will handle the label.
Declared Value : Any character
%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<LEGEND> *Legend*
Identifies a legend.

Optional Attribute(s)
ID An identifier of the element which is assigned at origination and which remains unchanged as the document is revised or updated. The value of the "symbolid" is used when making references to the element from other portions of the document.
Declared Value : ID
ASSOCFIG Reference to the unique identifier of the figure with which the legend is associated.
Declared Value : ID Reference

<LINK> *Linking Model*
Identifies the anchor to link internal and external work packages and documents. For internal work packages to the document the user selects <wp.no.ref> to point to the WP information and link the WP for referencing.

For external WP to the document the user selects (pubno, wp.no.ptr+) to point to the document number and WP information.
For external document to reference the user selectsto associate a link.
The information linking can be used when publishing this document as an Interactive Electronic Publication (IEP).

<LONG.RANGE>	<i>Long-Range Planning</i> Specifies a long-range plan. Provide procedures for developing unit METL and a sample METL; for training assessment and sample assessment and for establishing priorities.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MAIN.COL.HEAD>	<i>Group Matrix Heading</i> Specifies the column group heading.
------------------------------	--

<MARK>	<i>Matrix Mark</i> Specifies to mark the position in a matrix where the collect task refers to the column information. Attribute COL in %col.no; is used to indicate the column number to mark the information.
Required Attribute(s)	
%COL.NO;	Any of the attributes in the associated attribute set may be used with this element. Refer to %COL.NO; for a complete description.
Optional Attribute(s)	
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<MILES.EVAL>	<i>Evaluator MILES</i> Identifies the Multiple Integrated Laser Engagement System (MILES) equipment for the evaluator in the Consolidated Support Requirement table.
Required Attribute(s)	
NO	Number of evaluator MILES.
Declared Value :	Number
Optional Attribute(s)	
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<MILES.OPERS>	<i>Trainee MILES</i> Identifies the Multiple Integrated Laser Engagement System (MILES) equipment for the trainees in the Consolidated Support Requirement table.
----------------------------	--

Required Attribute(s)

UNIT Unit type requiring the MILES equipment.
Declared Value : Any character

NO Number of unit's MILES equipment.
Declared Value : Number

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<MILES.OPFOR>

OPFOR MILES

Identifies the Multiple Integrated Laser Engagement System (MILES) equipment for the Opposing Forces (OPFOR) in the Consolidated Support Requirement table.

Required Attribute(s)

NO Number of OPFOR MILES equipment.
Declared Value : Number

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<MILES.REQ>

MILES Requirements

Identifies the Multiple Integrated Laser Engagement System (MILES) requirements in the Consolidated Support Requirement table.

Optional Attribute(s)

USE.OPFOR Use OPFOR column in MILES equipment in Consolidation Equipment table.
Declared Value : Toggle
Default Value = 1

<MINS>

Minutes

Specifies the minutes to accomplish an event.

Required Attribute(s)

NO Number of minutes
Declared Value : Number

<MISSION.COLLECT>

Mission-to-Collective Task Matrix

Specifies the Mission-to-Collective Task Matrix paragraph and matrix.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MISSION.DESCRIP>

Mission Outline Description

Specifies the introduction of the mission outline figures.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MISSION.ID.TABLE>

Mission Identification Table

Identifies the mission identification table, listing the MTP's missions.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MISSION.OUTLINE.WP>

Mission Outlines Work Package

Identifies the Mission Outlines, for company and below units. The mission outline illustrates the relationship between the missions and their supporting tasks.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MISSION.TASKS>

Missions and Tasks

Identifies the missions and describe the training plan.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MISSION>

Mission Outline

Specifies a series of related task that comprise the major capabilities and/or requirements imposed on a unit by its parent organization or table(s) of organization and equipment (TOE).

Required Attribute(s)

ID Identifier for the mission. The id name is constructed as follows
mission.id.no-proponent.code-echelon.code.

Declared Value : ID

UNIT.TYPE Specifies the unit type for the MTP.
Declared Value : Any character

TITLE Specifies the mission title.
Declared Value : Any character

TOE Specifies the mission's TOE number(s).
Declared Value : Number Token (one or more)

FTXNO Number of FTX associated to the mission.
Declared Value : Number

STXNO Number of STX associated to the mission.
Declared Value : Number

EXER.REF Reference(s) to the FTX and/or STX exercise(s).
Declared Value : ID Reference (one or more)

Optional Attribute(s)

TEO.REF Reference(s) to Training & Evaluation Outlines.
Declared Value : ID Reference (one or more)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MOPP4.REF>

<MOPP4>

<MTP.CONTENT> *MTP Contents*
 Specifies the organization of the MTP.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<MTP> *Mission Training Plan (MTP)*
 Identifies Mission Training Plan (MTP) manual and information about the manual.

Required Attribute(s)

PUBNO Specifies publication number.
Declared Value : Any character

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

TOE.CODE Specifies the MTP TOE number to three digits. If the MTP has more than one use the lowest TOE number.
Declared Value : Number Token (one or more)

TOE Specifies the mission's TOE number(s).
Declared Value : Number Token (one or more)

TITLE Specifies the MTP title.
Declared Value : Any character

PUB.DATE Specifies the publication date. Format will be day, month (full name), and year. e.g. 1 JANUARY 1995.
Declared Value : Any character

SCHOOL.CODE Specifies the MTP proponent school number code. (See TREG 350-70 Appendix C Table C-2 for codes.)
Declared Value : Number

UNIT.TYPE Specifies the unit type for the MTP.
Declared Value : Any character

Optional Attribute(s)

TOE.ORGAN.CODE Specifies if the TOE is below the battalion level, then use a two digit organization code for MTP Publication Number. The list of valid TOE organization codes are
 10-29 platoon or sections
 30-39 company or detachment
 40-59 office, branch, or division
 60-79 unique organizational requirements
Declared Value : Number

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<NOTE> *Note*
 Identifies a note statement.

Optional Attribute(s)

KEYWORD Identifies a word or phrase that will appear underneath the "NOTE" heading.
Declared Value : Any character

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<NOTICE> *Notice*
 Identifies a notice.

Optional Attribute(s)

NOTCTYPE Specifies the type of notice to be inserted on the page.
Declared Value : List (Distribution(dist), Authority(auth), For Official Use Only(fou), Supersede(supersed), Warning(warning), Destruction(destr))

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<NULL> *Empty Marker*
Specifies an empty marker with variable null characteristics.

Optional Attribute(s)
INSERT Specifies the text to use for the empty cell.
Declared Value : List (Not Available (na), Not Required(nr), Dash "-" (dash), Classified information(secure), Blank (none))
Default Value = none

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<OBJECT> *Task Title Object*
Specifies the task object.

<OBJECTIVE> *Objective*
Identifies the who and what the exercise is designed to train.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<OPORD.TEXT>

<OPORD.WP> *Operations Order (OPORD) Work Package*
Specifies the Operations Order (OPORD) appendix work package.

Required Attribute(s)
PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)
%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<OPORD> *Operations Order (OPORD)*
Specifies the Operations Order (OPORD) figure.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ORIENT> *Orientation*
Specifies instructions for presenting the training objective.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<OTHER.ITEM> *Other Items Requirement*
Identifies other categories requirements in the Consolidated Support Requirement table.

<OTHER.TIME> *Other Time*
Specifies textual time event information. i.e. Pre-FTX.

<PARA> *Paragraph Text*
Identifies text within a paragraph.

Optional Attribute(s)

BULLET Indicate a bullet symbol be placed before the paragraph by the receiving system.

Declared Value : Toggle

Default Value = 0

PARAHEAD Heading for the paragraph.

Declared Value : Any character

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PERF.MEAS> *Performance Measure*
Specifies the specific performance required for a task step.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

<PERFORMANCE> *Performance*
Describe when to evaluate drill performance.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PERFORMER> *Performance Measure Performer*
Specifies the who will be executing the performance measure.

<PM.HEADER> *Performance Measure Table Heading*
Specifies the heading for the performance measure table.

<PM.ROW> *Performance Measure Table Row*
Specifies the a row in the performance measure table.

<PREFACE> *Preface*
Identifies the preface material of the document. The preface, when included in a volume or part of a manual, shall contain the purpose and scope of the manual plus any other information required by the technical content specification. It may define new abbreviations and symbols.

Optional Attribute(s)

TOCENTRY If the value consists only of zeros, the element's number and title are not used in continents, illuslist, or tablelist. Any other appropriate listing.

Declared Value : Toggle

Default Value = 1

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

<PREPARE.EVAL> *Preparing the Evaluation*
Specifies guidance on preparing for an evaluation.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PRINCIPLE.TRAIN> *Principles of Training*
Specifies the principles of training in FM 25-100, Training the Force.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PROC> *Procedure*
Identifies a procedure.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PUB.COLLECT>

Publication Reference-to-Collective Task Matrix

Specifies the Publication Reference-to-Collective Task Matrix paragraph and matrix.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PUBDATE>

Publication Date

Identifies the base publication date.

<PUBLIST>

Publication List

Identifies a list of all publications, forms, and similar data referenced in the document.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<PUBNO>

Publication Number

Identifies the publication number of the document.

<QTY>

Quantity

Identifies a quantity of equipment or personnel required to perform a task.

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<QUALIFER>

Task Title Qualifer

Specifies the particular piece of equipment or situation to execute the task.

<QUESTION>

Question

Identifies a question.

Optional Attribute(s)

LINES Number of blank lines for answer for the style sheet.
Declared Value : Number
Default Value = 0

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<QUESTIONNAIRE> *Questionnaire*
Identifies the questionnaire used for feed back.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<RANDLIST> *Random List*
Identifies a random (bullet) list.

Optional Attribute(s)

BULLET Use receiving system to produce bullet marks next to each item.
Declared Value : Toggle
Default Value = 0

PREFIX Identifies the prefix desired on items in the list such as a symbol (e.g. bullet).
Declared Value : Any character

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<REAR> *Rear Matter*
Identifies the back matter of publication. Includes glossary, reference material, questionnaire, authentication page, etc.

<REEL> *Recording External Evaluation Information*
Specifies the responsibilities for developing data recording instruments.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<REFWP> *References Work Package*
Identifies the referenced material used in developing the document.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<REPORTING> *Reporting Errors and Recommendations*
Identifies a reporting errors and recommending improvements statement.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<REQ.PLAN> *Resource Requirements and Planning Considerations*
Identifies the details that are needed to be considered in planning to evaluate an exercise.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<RESOURCE.SETUP> *Resource Setup*
Specifies an explanation of the materials required to conduct the drill.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<ROW.HEAD> *Row Heading*
Specifies the row's heading for the Soldier Manual publication number for the individual tasks.

<ROW>	<p><i>Row of Table Group</i></p> <p>Identifies the row information in a tgroup of a table. Default values come from the table, tgroup, colspec, or spanspec attlist values for like-named attributes. Within an entrytbl, defaults are from the entrytbl.</p>
Optional Attribute(s) ROWSEP	<p>Default for all items in this column (within the enclosing group) of the table. If other than zeros, display the internal horizontal row ruling below each row. If only zeros, do not display it. Ignored for the last row of the table, where the frame specification determines the ruling.</p>
Declared Value :	Toggle
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<RUN.THRU>	<p><i>Run-Through Instructions</i></p> <p>Describe how to practice the drill.</p>
Optional Attribute(s) %BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<SAFETY>	<p><i>Safety Requirements</i></p> <p>Specifies any safety requirement(s) before executing the task.</p>
<hr/>	
<SELECT.OC>	<p><i>Selecting the Observer Controller (OC)</i></p> <p>Specifies guidance on selecting Observer Controllers (OC) in the areas of evaluation design, the MILES system, and the evaluation control system.</p>
Optional Attribute(s) %BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<SELECT.TRAIN.OC>	<p><i>Selecting and Training Observer Controller (OC)</i></p> <p>Identifies how to select and train the Observer Controllers (OC) in the areas of evaluation design, the MILES system, and the evaluation control system.</p>
Optional Attribute(s) %BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.
<hr/>	
<SELECT.TRAIN.OPFOR>	<p><i>Selecting and Training the Opposing Forces (OPFOR)</i></p> <p>Identifies how to select OPFOR, knowledge needed, and OPFOR strength.</p>

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SEQ.TASKS>

Sequenced T&EO Task

Specifies the T&EO for exercise in sequence order.

Required Attribute(s)

TEO.REF Reference the T&EO task to retrieve the task title, number, and page number for the sequence task list.

Declared Value : ID Reference

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<SEQ>

T&EO Sequence

Specifies the position for the T&EO sequence table for the exercise.

Required Attribute(s)

ID Identifier to reference the T&EO sequence table.

Declared Value : ID

<SEQLIST>

Sequential List

Identifies a sequential list.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

<SETUP.INSTR>

Setup Instructions

Describe the drill resources, training site, and unit instructions for conducting the drill.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SHORT.RANGE>

Short Range Planning

Specifies what is short range plan and how to develop one. The short range plan starts with Long-Range plan and decides objectives for the next 6 months.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPAN.TITLE> *Column Group Title*
Specifies a column header for selected columns.

Required Attribute(s)

START.COL.NO First column of the column header.

Declared Value : List (2, 3, 4, 5, 6, 7, 8)

END.COL.NO Last column of the column header.

Declared Value : List (2., 3., 4., 5., 6., 7., 8.)

<SPANSPEC> *Spanned Column Specification*
Identifies a horizontal span of columns and associated attributes that can subsequently be referenced by its spanname to provide attributes repeatedly used in the entries or entry tables in several row of the table group controlled by the group <colspec>, or within the specific <thead>, <tfoot>,or <tbody> context in which the <spanspec> occurs. Namestart and nameend identify the first and last columns in increasing order that identify the span. The reason colname is used rather than colnum in identifying <spanspec>is that the names are independent of revisions that may change the number of inserted/ deleted columns, as long as namestart remains to the left of (has a smaller colnum than) nameend. <Spanspec>s set on <thead> or <tfoot>override those on the containing <tgroup> and apply to just the <thead>or <tfoot>. <spanspec>s from the containing <tgroup> apply to <tbody>.

Required Attribute(s)

NAMESTART Name of left most column of span. Names are identified in colspec of the current tgroup.

Declared Value : Name Token

NAMEEND Name of right most column of span. Names are identified in colspec of the current tgroup.

Declared Value : Name Token

SPANNAME Name of a horizontal span.

Declared Value : Name Token

Optional Attribute(s)

ALIGN Text horizontal position within the column.
left- quad flush left
center - centered
right - quad flush right
justify- both quad left and quad right
char - align on left most of char, positioned by charoff

Declared Value : List (left, center, right, justify, char)

Default Value = center

CHAROFF For align = "char", percent of the current width to the left of the (left edge of) the character.

Declared Value : Number Token

CHAR	If align= "char", the value is the single alignment character on which the first to occur of this character in the entry is aligned. If that character does not occur in the entry, the entry aligns to the right of that character offset.
Declared Value :	Any character
COLSEP	If other than zeros, display the internal vertical column ruling at the right of the entry; if only zeros, do not display it. Ignored for the last column, where the frame setting applies.
Declared Value :	Toggle
ROWSEP	If other than zeros, display the internal horizontal row rulings below the entry; if only zeros, do not display it. Ignored for the last row where the frame setting applies.
Declared Value :	Toggle

<SPEC.INSTR>	<i>Specific Instruction</i> Specifies instructions for conducting the walk-through.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPECIAL.SIT>	<i>Special Situation</i> Identifies any specific information from higher headquarters or the unit's commander.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPECPARA>	<i>Special Content Paragraph</i> Identifies a paragraph that may be used with special paragraph content, such as danger, warnings, cautions, or notes.
Optional Attribute(s)	
%REFS;	Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPPRT.INFO>	<i>Supportive References</i> Identifies the document, task, and/or work packages being referenced.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPPRMATERIAL> *Supporting Material*
Specifies the MTP's role and relationships to other higher and/or lower level MTP's, STP's and Drill Books.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SPPRREQ> *Support Requirements*
Identifies the list of items required to conduct the exercise.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STEP1> *First Level Procedural Step*
Identifies a first level procedural step.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STEP2> *Second Level Procedural Step*
Identifies a second level procedural step.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STEP3> *Third Level Procedural Step*
Identifies a third level procedural step.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STEP4> *Fourth Level Procedural Step*
Identifies a fourth level procedural step.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STEP5> *Fifth Level Procedural Step*
Identifies a fifth level procedural step.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<STX.WP> *Situational Training Exercise (STX) Work Package*
Identifies a mission-related, limited exercise designed to train collective tasks or drills through practice. Support training at company, platoon, and staff section levels.

Required Attribute(s)
PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

%EXERCISE.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %EXERCISE.CODE; for a complete description.

Optional Attribute(s)
%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%CONTENT.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SUB.QUESTION>

Sub Question

Identifies the second level of question for feed back.

Optional Attribute(s)

LINES Number of blank lines for answer for style sheet.

Declared Value : Number

Default Value = 0

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SUBFIG>

Subfigures

Each subfig is one or more graphics or macrographics and implies that all the data within the subfig remains together on one display surface, such as a page. The use of subfig makes it possible to have multiple sheet figures. Many graphics, across multiple pages are within the scope of one numbered and titled figure.

Optional Attribute(s)

ID Unique identifier.

Declared Value : ID

IDREFS Reference(s) other information.

Declared Value : ID Reference (one or more)

<SUBTITLE>

Subordinate Title

Identifies text for a subordinate title.

Optional Attribute(s)

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<SYMBOL>

Symbol

Identifies a unique symbol not found in character sets, is used as a graphic in text. A symbol is stored as a graphic either as vector (MIL-D-28000or MIL-D-28003) or raster (MIL-R-28002) data and is used as a symbol in the text of a document.

Required Attribute(s)

SYMBOLID An identifier of the element which is assigned at origination and which remains unchanged as the document is revised or updated. The value of the "symbolid" is used when making references to the element from other portions of the document.

Declared Value : ID

Optional Attribute(s)

SYMBOLCALL Enter unique symbol identifier.

Declared Value : Pointer

SYMREFID	
Declared Value :	ID Reference
SYMLOCID	
Declared Value :	ID Reference
REPROWID	Repro area width.
Declared Value :	Number Token
REPRODEP	Repro area depth.
Declared Value :	Number Token
HSCALE	Horizontal scaling.
Declared Value :	Number Token
VSCALE	Vertical scaling.
Declared Value :	Number Token
SCALEFIT	Characteristic allows the graphic to be scaled as needed to fit the size of the reproduction area.
Declared Value :	Toggle
HPLACE	Horizontal placement in the available repro area.
Declared Value :	List (left, right, center, or none (equivalent to a null value which defaults to implied))
VPLACE	Vertical placement in the available repro area.
Declared Value :	List (top, middle, bottom, or none)
ROTATION	Degree of rotation of the graphic.
Declared Value :	Number
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TABLE>

Table
Identifies a table.

Optional Attribute(s)

TABSTYLE	A unique table style defined in the style sheet.
Declared Value :	Name Token
TABLENUM	If the value consists only of zeros, no table number is used. Any other numeric value triggers the table number to appear.
Declared Value :	Toggle
Default Value =	1
TOCENTRY	If other than zeros, and the title is present, this table title should be included in the list of tables. (Ignore if the optional title is omitted).
Declared Value :	Toggle
Default Value =	1
SHORTENTRY	If the value consists only of zeros, the element's <shorttitle> (or <title>, if no short title is given) is not used in the <coverindex> or any other type of compiled listing. Any other numeric value triggers the use of the shorttitle.
Declared Value :	Toggle
FRAME	Describes position of outer rulings.
Declared Value :	List (Left & Right(sides), Below Title(top), After Last Row(bottom), Both Top and Bottom(topbot), All Sides(all), None(none))

COLSEP Default for all items in this table. If other than zeros, display the internal column rulings to the right of each item; if only zeros, do not display it. Ignored for the last column, where the frame setting applies.

Declared Value : Toggle

ROWSEP Default for all items in this table. If other than zeros, display the internal horizontal row ruling below each item. If only zeros, do not display it. Ignored for the last row of the table, where the frame value applies.

Declared Value : Toggle

ORIENT Orientation of the entire chart.

Declared Value : List (Portrait(port), Landscape(land))

%REFS; Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TALK.THURU> *Talk-Through Instructions*
Describe how to state and demonstrate the actions that make up the drill.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TASK.DRILL.WP> *Individual Task to Drill Matrix Work Package*
Specifies the Individual Task to Drill Matrix Work Package. The work package aids unit commanders in planning training. It will identify which task to train before a drill and which to train during a drill.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TASK.NO> *Task Number*
Specifies the task number.

<TASK.STANDARD> *Task Standard*
Identifies the overall task outcome that must be met for successful execution of the task.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TASK.STEP.PARA> *Task Step Paragraph*
Describes the person(s) to perform the task, an action verb and task to be performed.

<TASK.STEP.TBL> *Task Step Table*
Identifies the specific content table elements for Task Step.

<TASK.STEP> *Task Step*
Describes the task to be performed. Performance measure may be added to provide measurement of completion.

Optional Attribute(s)

LEADER Is the task a leader task?
Declared Value : Toggle
Default Value = No (0)

CRITICAL Is the task considered critical?
Declared Value : Toggle
Default Value = No (0)

ID Unique identifier for the task.
Declared Value : ID

%CHANGE.INFO; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.INFO; for a complete description.

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%CONTENT.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.

%SECURE; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECURE; for a complete description.

<TBODY> *Table Body*
Identifies the body of the <table>.

Optional Attribute(s)

VALIGN Text vertical positioning within the entries.
top- aligned to the cell top
middle - aligned to the cell center
bottom- aligned to the cell bottom
Declared Value : List (top, middle, bottom)
Default Value = top

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.INTRO.WP> *Training & Evaluation Outlines (T&EO) Introduction Work Package*
Identifies the T&EO introduction information. The introduction information includes the purpose, structure, format and usage of T&EOs.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.REF> *T&EO Reference*
Specifies the a reference about a T&EO for Mission Outline.

<TEO.SEQ> *T&EOs Sequence Paragraph*
Specifies the introduction of T&EO sequence table.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.STRUCTURE> *T&EO Structure*
Specifies the relationship of the T&EO and previous chapters.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.SUMMARY> *T&EO Summary*
Specifies the references to the appropriate collective task to drill matrix or lists the appropriate supported collective tasks.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.USE> *T&EO Use*
Identifies how to use the T&EO tasks.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TEO.WP> *T&EO Work Package*
Identifies the T&EO and heading information for the task.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

TASK.ID.NO Specifies a task identification number, five digits. If the task is a common collective task the number starts with an "C" followed by four digits. If the common task is revised, start the number with an "R" followed by four digits.
Declared Value : Any character

%ID.CODE; Any of the attributes in the associated attribute set may be used with this element. Refer to %ID.CODE; for a complete description.

SCHOOL.CODE Specifies the MTP proponent school number code. (See TREG 350-70 Appendix C Table C-2 for codes.)
Declared Value : Number

BRANCH.CODE Identifies the Army branch for the T&EO. (See TREG 350-70 Appendix C Table C-3 (Officer), C-6 (Warrant Officer) and C-9 (Enlisted) for codes.) The prefix to the branch code E for enlisted, W for warrant officer and O for officer.
Declared Value : Name

BOS Battlefield Operating System (BOS) for T&EO
Declared Value : List (%bos.list;)

MOPP Determines if the task is never, sometimes, or always is performed in MOPP gear.
Declared Value : List (None, Sometimes, Always)

MISSION.REF Reference the mission ID(s) associated to the T&EO.
Declared Value : ID Reference (one or more)

TOE.REF Specifies the TOE number(s) associated to the T&EO.
Declared Value : Number Token (one or more)

Optional Attribute(s)

APPROVE.DATE T&EO approval date.
Declared Value : Any character

OBSOLETE.DATE	T&EO obsolete date. Declared Value : Any character
STATUS	The T&EO current status. Declared Value : List (Active, Proposed, Obsolete) Default Value = Proposed
TASK.TYPE	The task type the T&EO is directed to. Declared Value : List (Combined, Critical Function, Interop, Joint, Unit) Default Value = Unit
NIGHT.VISION	Determines if the task is performed with night vision equipment. Declared Value : Toggle Default Value = 0
LOCATION	Identifies where the task should be performed at. Declared Value : Any character
EXERCISE.REF	Reference the exercise IDs associated to the T&EO. Declared Value : ID Reference (one or more)
%CHANGE.INFO;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.INFO; for a complete description.
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.
%CONTENT.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TERM>	<i>Term</i> Identifies a term, symbol, or abbreviation.
Optional Attribute(s)	
%REFS;	Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TFOOT>	<i>Table Foot</i> Identifies the footer information in a <table>, displayed after the <tbody> and also at the bottom of any <tbody> rows before a physicalbreak.
Optional Attribute(s)	
VALIGN	Text vertical positioning within the entries. top- aligned to the cell top middle - aligned to the cell center bottom- aligned to the cell bottom Declared Value : List (top, middle, bottom) Default Value = top
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TGROUP>*Table Group*

Each <tgroup> effectively identifies a new portion of a <table>. If a new <colspec> is provided, it replaces a previous one. If both <colspec> and <spanspec> are new, that <spanspec> should refer to columns in the most recent <colspec>. If only a new <spanspec> is provided, it should refer to columns defined by the (most immediately prior) <colspec>s in a <tgroup> of the <table>. On the other hand, a new <colspec> to either a <thead> or <tfoot> replaces all prior column definitions.

Required Attribute(s)

COLS Number of columns in the table or chart.
Declared Value : Number

Optional Attribute(s)

TGROUPSTYLE A unique table group style defined in the style sheet.
Declared Value : Name Token

COLSEP Default for items in this table group. If other than zeros, display the internal column rulings to the right of each item; if only zeros, do not display it. Ignored for the last column, where the frame setting applies.
Declared Value : Toggle

ROWSEP Default for items in this table group. If other than zeros, display the internal horizontal row ruling below each item. If only zeros, do not display it. Ignored for the last row of the table, where the frame value applies.
Declared Value : Toggle

ALIGN Text horizontal position within the column(or portion of it controlled by this colspec).
left - quad flush left
center- centered
right - quad flush right
justify - both quad left and right
char- align on left most of char, position by charoff
Declared Value : List (left, center, right, justify, char)
Default Value = left

CHAROFF For align = "char", percent of the current width to the left of the (left edge of) character.
Declared Value : Number Token
Default Value = 50

CHAR If align = "char", the value is the single alignment character on which the first to occur of this character in the entry is aligned. If that character does not occur in the entry, the entry aligns to the right of that character offset.
Declared Value : Any character
Default Value =

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<THEAD>*Table Head*

Identifies the heading information in a <table>, displayed at the top of the <table> and again at the top of any continuation after a physical break between <row>s in <tbody>.

Optional Attribute(s)

VALIGN Text vertical positioning within the entries.
top- aligned to the cell top
middle - aligned to the cell center
bottom- aligned to the cell bottom

Declared Value : List (top, middle, bottom)

Default Value = bottom

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<THREAT.WP> *Threat Analysis Work Package*
Identifies threat statement for analysis appendix.

Required Attribute(s)

PUBNO Publication number of originally developed.

Declared Value : Any character

WPNO Work package identification number.

Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TIME.EVENT.TBL> *Time & Event Table*
Identifies the specific content table elements for Time & Event table.

<TIME.EVENT> *Time & Event*
Identifies the event sequence that need to occur and the time frame to perform the events.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TIME.FRAME> *Time Frame*
Specifies the military time the event should occur.

Required Attribute(s)

MILT.TIME Military time for time frame.

Declared Value : Number

<TIME> *Time*
Specifies the time(s) to accomplish an event or textual time event, i.e. PRE-FTX.

<TIPS>	<i>Training Tips</i> Specifies tips for training and general instructions on how to prepare for and accomplish the exercise.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TITLE>	<i>Title</i> Identifies text for a title.
Optional Attribute(s)	
%REFS;	Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TITLEPG>	<i>Title Page</i> Identifies a document's title/cover page.
------------------------	--

<TOTAL.TIME>	<i>Total Event Time</i> Identifies the total time required to perform all events.
Optional Attribute(s)	
COMMENT.NO	Any notes associated with the event.
Declared Value :	Number (one or more)
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

<TRAIN.GUIDE>	<i>Training Guidance</i> Specifies an explanation of training strategy for drills.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.
%SECUR;	Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.HHC>	<i>Training the HHC</i> Specifies what the problem of training a headquarters element, while still remaining as a functioning command and control.
Optional Attribute(s)	
%BODYATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.MATRIX.WP> *Training Matrix Work Package*
Provides collective training matrixes which show the relationship between missions, collective tasks, and individual tasks.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.OC> *Training Observer Controller (OC)*
Specifies guidance on training OCs in the areas of evaluation design, the MILES system, and the evaluation control system.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.PLAN.WP> *Training Plans Work Package*
Identifies Training Plan at battalion level and higher. Provides information on resourcing plus short and long range planning. Provides mission outlines and sample exercise information useful in the development of plans to train units and soldiers in the missions and tasks required in combat. For appropriate level headquarters, it includes information on training the HHC.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.SITE> *Setup Training Site*
Specifies the characteristics of the training area.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAIN.STRATEGY> *Training Strategy*
Identifies the Army's Combined Arms Training Strategy (CATS), and the integration of the MTP with CATS.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<TRAINED> *Individual Task Trained*
Specifies if the individual task is trained before or during the drill.

Required Attribute(s)
COL.NO Column number for the heading.
Declared Value : List (2, 3, 4, 5, 6, 7, 8)

BEFORE Task trained before the drill.
Declared Value : Toggle
Default Value = 0

DURING Task trained during the drill.
Declared Value : Toggle
Default Value = 0

<TRAINING> *Training*
Specifies leader training information and training tips for exercises.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<UNIT.INSTR> *Setup Unit Instructions*
Specifies instructions for initial placement of unit and special instructions for arranging training.

Optional Attribute(s)
%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<UNIT.TRAIN.WP> *Unit Training Work Package*
Provides an explanation and organization, and explains how to use it in establishing an effective training program.

Required Attribute(s)

PUBNO Publication number of originally developed.
Declared Value : Any character

WPNO Work package identification number.
Declared Value : ID

Optional Attribute(s)

%CHANGE.ATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<USER> *User Service*
Identifies the user service prefix such as in a publications number.

Optional Attribute(s)

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<VERB> *Action Verb*
Specifies action verb.

<VERBATIM> *Verbatim Text*
Used to indicate if the text is to be picked up and laid down as it is. Typically, it implies the usage of a monospace font and the designated point size. All record ends are retained. The use of tabs in verbatim text may cause unexpected results and should therefore be avoided.

Optional Attribute(s)

ALLOWBRK Specifies if the verbatim information can be broken over a page boundary. A value consisting of zeros specifies that a break is not allowed; any other number specifies that a break is allowed.

Declared Value : Toggle

Default Value = 1

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<WALK.THRU> *Walk-Through Instructions*
Describe how to perform the drill at a reduced speed.

Optional Attribute(s)

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<WARNING> *Warning*
Identifies a warning statement.

Optional Attribute(s)

KEYWORD Identifies a word or phrase that will appear underneath the "WARNING" heading.

Declared Value : Any character

WARNSUM-ENTRY Indicator to include warning summary page.

Declared Value : Toggle

%BODYATT; Any of the attributes in the associated attribute set may be used with this element. Refer to %BODYATT; for a complete description.

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<WP.NO.PTR> *External Work Package Number*
Specifies an external work package number.

Required Attribute(s)

REF Reference to a work package ID.

Declared Value : Name

Optional Attribute(s)

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<WP.NO.REF> *Internal Work Package Number*
Specifies an internal work package ID.

Required Attribute(s)

REF Reference to a work package number.

Declared Value : ID Reference

Optional Attribute(s)

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

<XREF> *Cross Reference*
Value is the "id" of the element being referenced. The element's "id" value is replaced with the automatically assigned enumeration at the time of output. Example: See figure <xref xrefid="abc">. At output, the processing system will insert the correct enumeration, such as See figure4-29.

Required Attribute(s)

XREFID Value is that of a unique identifier for cross referencing of information.

Declared Value : ID Reference

XIDTYPE Value is that of a string for identifying the nature of the information being cross referenced.

Declared Value : List (text, figure, table)

Optional Attribute(s)

PRETEXT Text that will precede the cross reference when resolved for display.

Declared Value : Any character

POSTTEXT Text that will follow the cross reference when resolved for display.

Declared Value : Any character

%SECUR; Any of the attributes in the associated attribute set may be used with this element. Refer to %SECUR; for a complete description.

MTP AND DRILL BOOK SGML ENTITY ELEMENTS

%ADD.CONTENT; *Specific Publication Paragrah*
Identifies in paragraph text any additional unique elements for inclusion. The **%add.content;** entity is empty, which indicates no unique elements are required for this publication class.

%ALERT; *Alerts*
Identifies the different types of alert statements that can occur. The **%alert;** entity consists of the following optional and repeatable elements in this specific order: a danger (<**danger**>), warning (<**warning**>), caution (<**caution**>), and note (<**note**>).

%APPENDIX; *Appendix*
Identifies the appendix section in MTP and Drill Book. For MTP the **%appendix;** consists of the following elements in specific order: CATS Work Package Appendix (<**cats.wp**>), OPOrd Work Package (<**opord.wp**>), Drill Task Work Package Appendix (<**drill.wp**>), and general appendices (<**appendix**>). For Drill Book the **%appendix;** consists of the following elements in specific order: Task-to-Drill Matrix Work Package Appendix (<**task.drill.wp**>), List of Illustration Work Package Appendix (<**illust.list.wp**>), and general appendices (<**appendix**>).

%CHANGETEXT; *Change Text*
Identifies the elements <**change**> is allowed to wrap. The **%changetext;** entity consists of the following optional elements: title (<**title**>), paragraph (<**para**>), danger (<**danger**>), warning (<**warning**>), caution (<**caution**>), note (<**note**>), and/or text set (**%text;**).

%CONTENT; *Content*
Identifies the data that can occur within text. The **%content;** entity consists of the following optional elements/entities: text (**%text;**), note (<**note**>), table (<**table**>), figure (<**figure**>), graphic (<**graphic**>), lists (**%list;**) and/or unique product text (**%add.content;**).

%EXER; *MTP Training Exercise Chapter*
Identifies the work packages in a Training Exercise Chapter. The **% exer;** consists of the following elements: Training Exercise Introduction Work Package (exer.intro.wp), FTX Work Package (<**ftx.wp**>), STX Work Package (< **stx.wp**>) and/or Generic Exercise Work Package (<**exer.wp**>), .

%EXT.EVAL; *MTP External Evaluation Chapter*
Identifies the work packages in an External Evaluation Chapter. The **% ext.eval;** is either: External Evaluation (Battalion and above) Work Package (<**ext.eval.bn.wp**>) or External Evaluation (Company and below) Work Package (<**ext.eval.co.wp**>).

%LIST;	<p><i>Lists</i></p> <p>Identifies the different types of lists that can occur. The <i>%list;</i> entity consists of the following optional elements: a sequential list (<<i>seqlist</i>>), random list (<<i>randlist</i>>),and/or a definition list (<<i>deflist</i>>).</p>
%MISSION.OL;	<p><i>MTP Mission Outline Chapter</i></p> <p>Identifies the work packages for MTP Chapter 3. The <i>%mission.ol ;</i> is either: Training Plan (Battalion and above) Work Package (<<i>train.plan.wp</i>>) or Mission Outline (Company and below) Work Package (<<i>mission.outline.wp</i>>).</p>
%P;	<p><i>Paragraph Types</i></p> <p>Identifies the paragraph and special paragraphs. The <i>%p;</i> consists of the following optional elements: paragraph (<<i>para</i>>) and/or special paragraph (<<i>specpara</i>>).</p>
%PREF.INTRO;	<p><i>Preface and/or Introduction</i></p> <p>Identifies in the front matter the specific use of preface and/or introduction in the publication. The <i>%pref.intro;</i> entity consists only of preface (<<i>preface</i>>).</p>
%REAR;	<p><i>Rear Matter</i></p> <p>Identifies the rear matter in MTP and Drill Book. For MTP the <i>%rear;</i> entity consists of glossary (<<i>glossary</i>>), references (<<i>refwp</i>>), an optional questionnaire (<<i>questionnaire</i>>) and authentication page (<<i>authent</i>>). For the Drill Book the <i>%rear;</i> entity consists of glossary (<<i>glossary</i>>), references (<<i>refwp</i>>) and authentication page (<<i>authent</i>>).</p>
%SIMPLE.TEXT;	<p><i>Basic Text Set</i></p> <p>Identifies the common text from <i>%simple.text;</i>repeatable. The <i>%simple.text;</i> entity consists of entered text (#PCDATA), emphasized text(<<i>emphasis</i>>), cross reference (<<i>xref</i>>),linked work package or document (<<i>link</i>>), change text (<<i>change</i>>) and/or null text (<<i>null</i>>).</p>
%TABCONTENT;	<p><i>Table Content</i></p> <p>Identifies the data allowed in table entry. The <i>%tabcontent;</i> entity consists of the following optional elements/entities; text (<i>%text;</i>), title (<<i>title</i>>),paragraph types (<i>%p;</i>), graphic (<<i>graphic</i>>), danger (<<i>danger</i>>), warning (<<i>warning</i>>), caution (<<i>caution</i>>), note (<<i>note</i>>), and/or lists (<i>%list;</i>).</p>
%TEO;	<p><i>MTP T&EO Chapter</i></p> <p>Identifies the work packages for T&EO Chapter. The <i>% teo;</i> identifies the work packages in the specific order: T&EO Introduction Work Package (<<i>teo.intro.wp</i>>) and T&EO Work Package (<<i>teo.wp</i>>).</p>
%TEXT;	<p><i>Text</i></p> <p>Identifies the paragraph text. The <i>%text;</i> entity consists of foot note(<<i>ftnote</i>> and <<i>ftref</i>>), verbatim text(<<i>verbatim</i>>), symbol (<<i>symbol</i>>), figure callout (<<i>callout</i>>) and/or basic text set (<i>%simple.text;</i>).</p>

%TITLDTEXT;

Titled Text

Identifies paragraphs with titles. The *%tildtext;* entity consists of the following optional elements/entities in this specific order: title (<*title*>), sub-title (<*subtitle*>), and paragraph types (*%p;*).

MTP AND DRILL BOOK SGML ENTITY ATTRIBUTES

%BODYATT;	<i>Body Attribute Set</i> These attributes may be used with any element type that references this attribute set (%bodyatt;) in the document type declaration.
Optional Attribute(s)	
%CHANGE.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CHANGE.ATT; for a complete description.
%CONTENT.ATT;	Any of the attributes in the associated attribute set may be used with this element. Refer to %CONTENT.ATT; for a complete description.
%REFS;	Any of the attributes in the associated attribute set may be used with this element. Refer to %REFS; for a complete description.
<hr/>	
%CHANGE.ATT;	<i>Change Level</i> Identifies the change level(s) at which information was inserted and/or deleted.
Optional Attribute(s)	
INCHLVL	Specifies the change level(s) at which information was inserted. An audit trail can be maintained by listing multiple change levels separated by spaces. Declared Value : Number Token (one or more)
DELCHLVL	Specifies the change level(s) at which information was deleted. An audit trail can be maintained by listing multiple change levels separated by spaces. Declared Value : Number Token (one or more)
<hr/>	
%CHANGE.INFO;	<i>Change Information</i> Identifies the change date and change number for a work package.
Required Attribute(s)	
CHNGNO	Work package change number. Declared Value : Number
Optional Attribute(s)	
DATE	Work package change date. Declared Value : Any character
<hr/>	
%CONTENT.ATT;	<i>Added Content</i> Identifies attributes that allow added content to the text.
Optional Attribute(s)	
LABEL	Label associated with paragraph, figure, or table (i.e. chapter number). Label is only appropriate for manually enumerated documents. Typically, the rendering system will auto enumerate the elements requiring it, in which the label attribute is omitted. Declared Value : Any character
TEXTTYPE	Declared Value : Number
ITEMID	Declared Value : Name Token

CONFIG

Declared Value : Number Token (one or more)

SKILLTRK Designation of the skill level of the user at which the current element of information is aimed. A particular set of values common to all documents has not been created. Currently, the relevant values are set by contract.

Declared Value : Number Token

%EXERCISE.CODE; *Exercise Identification Code*
These attributes are used to describe an exercise by exercise identification number, title, ID, and mission references.

Required Attribute(s)

EXER.ID.NO Exercise identification number. The number begins with an \$E followed by four digit sequential number.

Declared Value : Any character

TITLE Specifies the exercise title.

Declared Value : Any character

MISSION.REF Reference the missions the exercises are used in. The mission ID is constructed from the mission.id.no-proponent.code-echelon.code.

Declared Value : ID Reference (one or more)

%ID.CODE; *Identification Code*
These attributes are used to identify a document, exercise, or task proponent and echelon number.

Required Attribute(s)

PROONENT.CODE Specifies the proponent identification number, two digits. (See AR 25-30, table 2-5 for proponent numbers.)

Declared Value : Number

ECHELON.CODE Specifies the echelon number code. If more than one echelon is used, list all code numbers separated by a space. The list of valid echelon codes are: 1 - Battalion (Squadron) 2 - Company (Troop, Battery, Detachment) 3 - Platoon 4 - Squad/Section 5 - Crew/Team 6 - Brigade (Group, Regiment) 7 - Division 8 - Corps

Declared Value : Number (one or more)

%REFS; *Identification and Identification References*
These attributes may be used to assign an id to an element and reference other elements and figures.

Optional Attribute(s)

ID An identifier of the element which is assigned at origination and which remains unchanged as the document is revised or updated even though the automatically assigned enumeration or manually assigned \$labels change (in some cases many times). The value of the \$id is used when making references to the element from other portions of the document. If no ID is given, none will be maintained and the element can then not be cross-referenced to by means of an IDREF on another element or with <xref>.

Declared Value : ID

IDREF This specifies one or more cross reference to a unique identifier.
Declared Value : ID Reference (one or more)

ASSOCFIG Identifies an associated figure(s)with the text data through the use of the \$id attribute in the <figure> tag.
Declared Value : ID Reference (one or more)

%SECUR; *Security*
These attributes may be used with any Attribute Set element type that references this attribute set (secur) in the document type declaration.

Optional Attribute(s)

SECURITY Security classification of the element.
Declared Value : List (Unclassified (uc), Classified(c), Secret(s), Top Secret (ts))

RESTRICT Restrictions - These might include: no foreign, nato, no contract, proprietary, FOUO, etc.
Declared Value : Number Token (one or more)

RELEASE Release Specification - Countries to which document may be released.
Declared Value : Name Token (one or more)

CODEWORD Associated code words.
Declared Value : Name Token (one or more)

SCILEVEL Flag to indicate if element has a Special Compartmentalized Information level.
Declared Value : Toggle
Default Value = 0

DIGLYPH One or more two-letter codes defining the classification of the element.
Values are determined by the contract.
Declared Value : Name Token (one or more)
