

TOPICUT Rev 1.0

Element Definition

<topicut> Root Element

OPTIONAL ATTRIBUTE(S)

security Any of the attributes in the associated attribute set may be used with this element. Refer to security for a complete description.

<session> *Session*

Information about the manual and the publisher

ELEMENT USED IN: <topicut>

<source> *Source*

The original source from which the object is derived.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN: <session>

CONTENT MODEL IS: STRING
OCCURANCE 1

<pub_no> *Publication Number*

The FM publication number that the object is chunked from.

ELEMENT USED IN: <source>

CONTENT MODEL IS: STRING
OCCURANCE 1

<pub_title> *Publication Title*

The FM Title that the object is chunked from.

ELEMENT USED IN: <source>

CONTENT MODEL IS: STRING
OCCURANCE 1

TOPICUT Rev 1.0 Element Definition

<pub_date>

Publication Date

The date of the FM that the object is chunked from.

ELEMENT USED IN:

<source>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<pub_id_number>

Publication Identification Number

The PIN Number of the FM that the object is chunked from.
This is a 9 digit number assigned by APD.
The first six number uniquely identify a Publication.
The remaining three numbers identify a set of change pages.

ELEMENT USED IN:

<source>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<publisher>

Publisher

The person who is responsible for chunking the material.

ELEMENT USED IN:

<session>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<facility>

Facility

Location of the publisher.

ELEMENT USED IN:

<session>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<taxonomy>

Taxonomy

Principles of classification of doctrinal objects, based on the AUTL.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topicut>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
Reference URL.....

<topic>

Topic

Information about the manual and the publisher

ELEMENT USED IN:

<topicut>

TOPICUT Rev 1.0

Element Definition

<title>

Title

The formal title given to the object.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<subtitle>

SubTitle

A subordinate title to the formal title of the object.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<keywords>

Keywords

These space delimited words will be used in the search process.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<security>

Security

Highest level of security classification of the chunked object.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"Unclassified"
"For Official Use Only"
"Confidential" (not used at this time)
"Secret" (not used at this time)
"Top Secret" (not used at this time)
"Top Secret/SCI" (not used at this time)

TOPICUT Rev 1.0

Element Definition

<object_type>

Object Type

Consists of an entry that describes the type of information constituting the object. This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"Doctrine-Publication"
"Doctrine-Enduring Principles"
"Doctrine-Tactics, Techniques and Procedures"
"Doctrine-Definitions"
"Mission Training Plans "
"Soldier Training Publication "
"Lessons Learned "
"Field Observations "
"After Action Review "
"Training Vignette"
"Historical Vignette"
"Article"
"Other"

<echelon>

Echelon

Element identifies the tactical level at which the object is applicable. This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUES:**

Predefined Content
1
"All"
"Team"
"Squad"
"Section"
"Platoon"
"Company"
"Troop"
"Battery"
"Battalion"
"Squadron"
"Brigade"
"Regiment"
"Division"
"Corps"
"EAC"
"Army"
"None"
"Unknown"

TOPICUT Rev 1.0

Element Definition

<terrain>

Terrain

Identifies any specific terrain.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUES:**

Predefined Content
1
"NA"
"All"
"Artic"
"Complex"
"Desert"
"Jungle"
"Mountain"
"Swamp"
"Urban"
"Water"
"Woodland"

<visibility>

Visibility

Any specific limitation on visibility.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"NA"
"Limited"
"Unrestricted"

<nbc>

Nuclear Biological Chemical

Identifies any specific limitation from NBC conditions.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"NA"
"All"
"Nuclear"
"Biological"
"Chemical"

TOPICUT Rev 1.0

Element Definition

<weather>

Weather

Identifies any specific weather conditions.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"NA"
"Wind"
"Temperature"
"Humidity"
"Sunlight"
"Topography"
"Precipitation"
"Altitude"

<change_request>

Change Request

Information about the request for a new taxonomy.

ELEMENT USED IN:

<topicut>

<tax_requestor_org>

Taxonomy Requestor's Organization

The organization or proponent the Taxonomy Change Form Requestor is associated with.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_requestor_phone>

Requestor's Phone Number

The Taxonomy Change form Requestor's phone number

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_requestor_email>

Requestor's e-mail

The Taxonomy Change Form Requestor's e-mail

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

TOPICUT Rev 1.0

Element Definition

<tax_fm_chapter>

FM Chapter

The FM Chapter that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_fm_page>

FM Page

The FM Page that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_fm_paragraph>

FM Paragraph

The FM Paragraph number(s) that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_problem>

Taxonomy Problem

The reason the Taxonomy Change Form Requestor has for requesting a new taxonomy

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_solution>

Taxonomy Solution

The requested taxonomy change.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<source_tool>

SourceTool

The application name used to parse the objects. ("TOPICUT")

ELEMENT USED IN:

<topicut>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

TOPICUT Rev 1.0

Element Definition

<security>

Security

Security of the original source.

ELEMENT USED IN:

<topicut>

CONTENT MODEL IS:

Predefined Content

OCCURANCE

minOccurs="0" maxOccurs="1"

ALLOWABLE VALUE:

"u"

"c"

"s"

"ts"

"fouo"
