

TOPICUT REV 1.01

Element Definition

<topicut>	Root Element
OPTIONAL ATTRIBUTE(S)	
security	Any of the attributes in the associated attribute set may be used with this element. Refer to security for a complete description.

<session>	<i>Session</i>
	Information about the manual and the publisher
ELEMENT USED IN:	<topicut>

<source>	<i>Source</i>
	The original source from which the object is derived. This value will be chosen from a set list of values which are as follows:
ELEMENT USED IN:	<session>
CONTENT MODEL IS: OCCURANCE	STRING 1

<pub_no>	<i>Publication Number</i>
	The FM publication number that the object is chunked from.
ELEMENT USED IN:	<source>
CONTENT MODEL IS: OCCURANCE	STRING 1

<pub_title>	<i>Publication Title</i>
	The FM Title that the object is chunked from.
ELEMENT USED IN:	<source>
CONTENT MODEL IS: OCCURANCE	STRING 1

<pub_date>	<i>Publication Date</i>
	The date of the FM that the object is chunked from.
ELEMENT USED IN:	<source>
CONTENT MODEL IS: OCCURANCE	STRING 1

TOPICUT REV 1.01

Element Definition

<pub_id_number>

Publication Identification Number

The PIN Number of the FM that the object is chunked from.
This is a 9 digit number assigned by APD.
The first six number uniquely identify a Publication.
The remaining three numbers identify a set of change pages.

ELEMENT USED IN:

<source>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<publisher>

Publisher

The person who is responsible for chunking the material.

ELEMENT USED IN:

<session>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<facility>

Facility

Location of the publisher.

ELEMENT USED IN:

<session>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<coe>

Centers of Excellence

A premier organization that creates the highest standards of achievement in an assigned sphere of expertise by generating synergy through effective and efficient combination and integration of functions while reinforcing the unique requirements and capabilities of the branches.

ELEMENT USED IN:

<session>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"NA"
"Net Fires Center (Fort Sill)"
"Maneuver Center of Excellence (Fort Benning)"
"Combat Service Support Center (Fort Lee)"
"Maneuver Support Center (Fort Leonard Wood)"

TOPICUT REV 1.01

Element Definition

<proponent>

Doctrine Proponent

An agency responsible for initiating, developing, coordinating, and approving doctrinal publications, and identifying them for rescission.

ELEMENT USED IN:

<session>

CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:

Predefined Content

1

"Air Defense Artillery"

"Adjutant General"

"AMEDD"

"Armor"

"Aviation"

"CAC/CADD"

"CAC/Twest"

"Chaplain"

"CASCOM CSS"

"CASCOM QM"

"CASCOM ORD"

"CASCOM M and M"

"CASCOM TC"

"DA ACSIM"

"DA G3"

"DA G8"

"DA Public Affairs"

"DPMO Eustis"

"Field Artillery"

"Finance"

"Infantry"

"JAG"

"JFKSWC"

"MANSCEN HQ"

"Military Police"

"Engineer"

"Chemical"

"Military Intel"

"Music"

"Physical Fitness School"

"Signal"

"TRADOC JADD"

"ALSA"

"TRADOC Safety"

"Sergeants Major Academy"

"Space Missile Defense Command"

"Unit of Action Maneuver Battle Lab"

TOPICUT REV 1.01

Element Definition

<taxonomy>

Taxonomy

Principles of classification of doctrinal objects, based on the AUTL.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topicut>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
Reference URL.....

<topic>

Topic

Information about the manual and the publisher

ELEMENT USED IN:

<topicut>

<title>

Title

The formal title given to the object.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<subtitle>

SubTitle

A subordinate title to the formal title of the object.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<keywords>

Keywords

These space delimited words will be used in the search process.

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1

<security>

Security

Highest level of security classification of the chunked object.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"Unclassified"
"For Official Use Only"
"Confidential" (not used at this time)
"Secret" (not used at this time)
"Top Secret" (not used at this time)
"Top Secret/SCI" (not used at this time)

TOPICUT REV 1.01

Element Definition

<object_type>

Object Type

Consists of an entry that describes the type of information constituting the object.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUE:**

Predefined Content
1
"Doctrine-Publication"
"Doctrine Principles, Tactics, Techniques and Procedures"
"Tactics, Techniques and Procedures"
"Tactics"
"Techniques"
"Procedures"
"Definitions/Terms"
"Graphics/Symbols"

<echelon>

Echelon

Element identifies the tactical level at which the object is applicable.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUES:**

Predefined Content
1
"All"
"Team"
"Squad"
"Section"
"Platoon"
"Company"
"Troop"
"Battery"
"Battalion"
"Squadron"
"Brigade"
"Regiment"
"Division"
"Corps"
"EAC"
"Army"
"None"
"Unknown"

TOPICUT REV 1.01

Element Definition

<terrain>

Terrain

Identifies any specific terrain.
This value will be chosen from a set list of values which are as follows:

ELEMENT USED IN:

<topic>

**CONTENT MODEL IS:
OCCURANCE
ALLOWABLE VALUES:**

Predefined Content
1
"NA"
"All"
"Artic"
"Complex"
"Desert"
"Jungle"
"Mountain"
"Swamp"
"Urban"
"Water"
"Woodland"

<change_request>

Change Request

Information about the request for a new taxonomy.

ELEMENT USED IN:

<topicut>

<tax_requestor_org>

Taxonomy Requestor's Organization

The organization or proponent the Taxonomy Change Form Requestor is associated with.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_requestor_phone>

Requestor's Phone Number

The Taxonomy Change form Requestor's phone number

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_requestor_email>

Requestor's e-mail

The Taxonomy Change Form Requestor's e-mail

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

TOPICUT REV 1.01

Element Definition

<tax_fm_chapter>

FM Chapter

The FM Chapter that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_fm_page>

FM Page

The FM Page that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_fm_paragraph>

FM Paragraph

The FM Paragraph number(s) that the object is chunked from.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_problem>

Taxonomy Problem

The reason the Taxonomy Change Form Requestor has for requesting a new taxonomy

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<tax_solution>

Taxonomy Solution

The requested taxonomy change.

ELEMENT USED IN:

<change_request>

**CONTENT MODEL IS:
OCCURANCE**

STRING
minOccurs="0" maxOccurs="1"

<source_tool>

SourceTool

The application name used to parse the objects. ("TOPICUT")

ELEMENT USED IN:

<topicut>

**CONTENT MODEL IS:
OCCURANCE**

STRING
1
